*)* 10

.

15

C)

1. A composite of a vulcanizable rubber or rubber type composition having at least one metal reinforcement element embedded therein, wherein said metal reinforcement elements have a coating of a polymer deposited from a solution and are compatible with and co-polymerizable with said vulcanizable rubber composition, and

bearing functional groups covalently bonding to the metal surface of said reinforcement element.

- 2. A composite according to claim 1, wherein said solution is an aqueous solution.
- 3. A composite according to claim 1, wherein said solution is an alcoholic solution.
- 4. A composite according to claim 1, wherein said solution is an organic solution.
- 5. A composite according to claim 1, wherein said metal reinforcement elements have a coating of a non-cured rubber composition.
  - 6. A composite according to claim 1, wherein said metal reinforcement elements are co-vulcanizable with said vulcanizable rubber composition.
  - 7. A composite according to claim 1, wherein said metal reinforcement elements are crosslinkable with said vulcanizable rubber composition.

20

25

30

- 8. A composite according to claim 1, wherein said functional groups form covalent bonds with the outward directed first functional groups of a molecular layer of a bifunctional adhesion promoter which is intercalated between said metal reinforcement elements and said coating and is bound to said metal reinforcement elements by its second functional groups.
- 9. A composite according to claim 1, wherein said metal reinforcement elements comprise on top of said coating, a layer of a skim composition for the vulcanizable rubber or rubber-like composition.
- 10. A composite according to claim 1 wherein the vulcanizable rubber composition to be reinforced is a composition selected from the group consisting of a synthetic poly(isoprene), a natural poly(isoprene), a synthetic poly(butadiene), natural poly(butadiene), a styrene-butadiene-rubber (SBR), a halobutylrubber, or an ethylene-propylene-diene-rubber (EPDM).
- 11. A composite according to claim 1, wherein said metal reinforcement element is an elongated steel element.
- 12. A composite according to claim 11, wherein said elongated steel element is coated with at least one metallic layer.
- 13. A composite according to claim 12, wherein said metallic layer is comprised of a metal selected from the group consisting of brass, bronze, zinc, zinc alloy, tin or tin alloy.
- 14. A composite according to claim 13, wherein said zinc alloy is an alloy selected from the group consisting of a zinc-aluminium alloy, a zinc-aluminium-mischmetal alloy, a zinc-manganese alloy, a zinc-cobalt alloy, a zinc-nickel alloy, a zinc-iron alloy or a zinc-tin alloy.

::ODMA\PCDOCS\PEORIA\106582\3

رسي

20

Table

15. A composite according to claim 5, wherein said non-cured rubber composition is comprised of matter selected from the group consisting of a synthetic poly(isoprene), a natural poly(isoprene), a synthetic poly(butadiene), a natural poly(butadiene), a synthetic elastomer or a thermoplastic elastomer.

16. A composite according to claim 1 wherein said polymer bonds directly to the metal surface and has functional groups selected from the group consisting of:

thiol groups, mercapto groups, silanes, amines,

-SH; -SiHCl $\frac{1}{2}$ ; -SiH<sub>2</sub>Cl; -Si(Cl)<sub>3</sub>; -SiHBr<sub>2</sub>; -SiH<sub>2</sub>Br; -SiBr<sub>3</sub>; -Si(R'(Cl)<sub>2</sub>);

 $-Si(OR')_3$ ;  $-Si(R'(OR')_2)$ ; -COOH; -COCl;

 $-PO_3H_2$ ,  $-SO_2H$ 

acid anhydrides of -SH; -SiHCl2; -SiH2Cl; -Si(Cl)3; -SiHBr2; -SiH2Br; -

 $SiBr_3$ ;  $-Si(R'(Cl)_2)$ ;  $-Si(\dot{Q}R')_3$ ;  $-Si(R'(OR')_2)$ ; -COOH; -COCl;

 $-PO_3H_2$ ,  $-SO_2H$ ,

acid chloride groups\of -SH; -SiHCl<sub>2</sub>; -SiH<sub>2</sub>Cl; -Si(Cl)<sub>3</sub>; -SiHBr<sub>2</sub>; -SiH<sub>2</sub>Br;

 $-\operatorname{SiBr}_3$ ;  $-\operatorname{Si}(R'(Cl)_2)$ ;  $-\operatorname{Si}(OR)_3$ ;  $-\operatorname{Si}(R'(OR')_2)$ ;  $-\operatorname{COOH}$ ;  $-\operatorname{COCl}$ ;

-PO<sub>3</sub>H<sub>2</sub>, -SO<sub>2</sub>H,

organometallic groups of the formula -M(OR')<sub>n</sub>, whereby M is a metal selected from the group consisting of Al, Sn, B, Ti and V; and n is the ligand number corresponding to the metal M; and

a phthalocyanin, phthalonitril groups, a monothiol, or monothiolate groups; and R' is an alkyl selected from the group consisting of methyl, ethyl or

25 propyl.

17. A composite according to claim 1 wherein said polymer bonds to the intercalated adhesion promoter and has functional groups comprising thiol groups,\mercapto groups, silanes, amines,

-SH;  $-SiHCl_2$ ;  $-SiH_2Cl$ ;  $-Si(Cl)_3$ ;  $-SiHBr_2$ ;  $-SiH_2Br$ ;  $-SiBr_3$ ;  $-Si(R'(Cl)_2)$ ;  $-Si(OR')_3; \setminus Si(R'(OR')_2); -COOH; -COCl;$ 

 $-PO_3N_2$ ,  $-SO_2H$ ,

acid anhydride groups of -SH; -SiHCl<sub>2</sub>; -SiH<sub>2</sub>Cl; -Si(Cl)<sub>3</sub>; -SiHBr<sub>2</sub>; - $SiH_2Br$ ;  $-SiBr_3$ \(\frac{1}{2}\).  $-Si(R'(Cl)_2)$ ;  $-Si(OR')_3$ ;  $-Si(R'(OR')_2)$ ; -COOH; -COCl;

 $-PO_3H_2$ ,  $-SO_2H$ ,

acid chloride groups of -SH; -SiHCl<sub>2</sub>; -SiH<sub>2</sub>Cl; -Si(Cl)<sub>3</sub>; -SiHBr<sub>2</sub>; -SiH<sub>2</sub>Br;  $-SiBr_3$ ;  $-Si(R'(Cl)_2)$ ;  $-Si(OR')_3$ ;  $-Si(R'(OR')_2)$ ; -COOH; -COCl;

 $-PO_3H_2$ ,  $-SO_0H$ ,

a phthalocyanin, phthalonitril groups, a monothiol, or monothiolate groups; wherein R' is an alkyl selected from the group consisting of methyl, ethyl or propyl; and

said functional groups are terminal groups.

- 18. A composite according to claim 17, wherein said functional groups are carried along a polymer backbone.
- 19. A composite according to claim 17, wherein said functional groups are part of side chains of the polymer.
- A composite according to claim 18, wherein said functional groups 20. are epoxy groups carried along the polymer backbone. 25
  - A composite according to claim 18, wherein said functional groups 21. are epoxy groups which are part of side chains attached to the polymer backbone.

- 22. A composite according to claim 16, wherein said organometallic groups are of the formula  $-M(Cl)_n$ ,
- 28. A composite according to claim 5, wherein said non-cured rubber composition comprises common vulcanization additives and curing systems.
- 24. A composite according to claim 1, wherein said polymer is bound to said metal surface by an adhesion promoter that is a bifunctional compound of the general formula (1)

$$X-(R)n-(Ar)l-(R)m-Y$$
 (I)

with x representing a group capable of reacting covalently at the metal surface,

R representing an organic spacer chain,

Ar representing an aromatic system,

Y representing a group capable of forming covalent bonds to the functional groups of said coating, and  $0 \le n$ ,  $m \le 16$ ; and  $0 \le l \le 6$ .

- 25. A composite according to claim 24, wherein A represents a heteroaromatic system.
  - 26. A composite according to claim 24 wherein

X is a functional group selected from the group consisting of-SH; -SiHCl<sub>2</sub>; -SiH<sub>2</sub>Cl; -Si(Cl)<sub>3</sub>; -SiHBr<sub>2</sub>; -SiH<sub>2</sub>Br;  $\frac{1}{2}$ SiBr<sub>3</sub>; -Si(R'(Cl)<sub>2</sub>); -Si(OR')<sub>3</sub>; -

Si(R'(OR')<sub>2</sub>); -COOH; -COCl; -PO<sub>3</sub>H<sub>2</sub>, -SO<sub>2</sub>H; an organometallic group of the formula -M(OR')<sub>n</sub>, whereby M is a metal selected from the group consisting of Al, Sn, B, Ti and V and n is the ligand number corresponding to the metal M; a phthalocyanin; a phthalonitril group; a monothiol; or a monothiolate group;

R' is an alkyl

15

20

Y is a functional group selected from the group consisting of NH<sub>2</sub>; NHR'; NR', an unsaturated residue; an acrylic acid group; a methylesters or ethyl esters;

-CN is a functional group selected from the group consisting of an

-CN is a functional group selected from the group consisting of an activated carboxylic ester; an aldehyde group; an epoxide group;-SH; -SiHCl<sub>2</sub>; -SiH<sub>2</sub>Cl; -Si(Cl)<sub>3</sub>; -SiHBr<sub>2</sub>; -SiH<sub>2</sub>Br; -SiBr<sub>3</sub>; -Si(R'(Cl)<sub>2</sub>); -Si(OR')<sub>3</sub>; -Si(R'(OR')<sub>2</sub>); -COOH; -COCl; or a functional group capable of forming a complex with at least one ingredient of a non-metallic medium;

R represents -CH<sub>2</sub>-; and


AR represents an aromatic system.

27. A composite according to claim 26, wherein AR represents a heteroaromatic system.

28. A composite according to claim 26, wherein R represents a -(CH<sub>2</sub>)-chain;  $2 \le n \le 20$ ; and said chain may be unhalogenated, may contain aromatic units, and may comprise constituents selected from the group consisting of: - (CH<sub>2</sub>)<sub>i</sub>CH<sub>3</sub> where  $0 \le i \le 5$ ,  $O(CH_2)_jCH_3$ , or  $-O(CF_2)_iCH_3$  where  $0 \le j \le 4$ , -CN and -NH<sub>2</sub>; -CF<sub>2</sub>-; -CH<sub>2</sub>-CO-NH-CH<sub>2</sub>-; -CF<sub>2</sub>-CO-NH-CF<sub>2</sub>-; -CH<sub>2</sub>-CO-NH-CF<sub>2</sub>-; CF<sub>2</sub>-CO-NH-CH<sub>2</sub>-; -CF<sub>2</sub>-CO-NH-CF<sub>2</sub>-; -CH<sub>2</sub>-CO-NH-CF<sub>2</sub>-;

- 29. A composite according to claim 28, wherein said chain may be partially halogenated.
- 25 30. A composite according to claim 28, wherein said chain may be perhalogenated.
  - 31. A composite according to claim 28, wherein said chain may contain thiophen units.

15



- 32. A composite according to claim 28, wherein said aromatic units may comprise constituents selected from the group consisting of:  $-(CH_2)_iCH_3$  where  $0 \le i \le 5$ ,  $-O(CH_2)_jCH_3$ , or  $-O(CF_2)_iCH_3$  where  $0 \le j \le 4$ , -CN and  $-NH_2$ ;  $-CF_2$ -;  $-CH_2$ -CO-NH-CH<sub>2</sub>-;  $-CF_2$ -CO-NH-CF<sub>2</sub>-;  $-CH_2$ -CO-NH-CF<sub>2</sub>-;  $-CF_2$ -CO-NH-CF<sub>2</sub>-.
- 33. A composite according to claim 31, wherein said thiophen units may comprise constituents selected from the group consisting of:  $-(CH_2)_iCH_3$  where  $0 \le i \le 5$ ,  $-O(CH_2)_iCH_3$ , or  $-O(CF_2)_iCH_3$  where  $0 \le j \le 4$ , -CN and  $-NH_2$ ;  $-CF_2$ -;  $-CH_2$ --CO--NH- $-CH_2$ -;  $-CF_2$ --CO--NH- $-CH_2$ -;  $-CF_2$ --CO--NH- $-CH_2$ --CO
- 34. A composite according to claim 26, wherein X is a functional group selected from the group consisting of the acid anhydride group of -SH; -SiHCl<sub>2</sub>; -SiH<sub>2</sub>Cl; -Si(Cl)<sub>3</sub>; -SiHBr<sub>2</sub>; -SiH<sub>2</sub>Br; -SiBr<sub>3</sub>; -Si(R'(Cl)<sub>2</sub>); -Si(OR')<sub>3</sub>; -Si(R'(OR')<sub>2</sub>); -COOH; -COCl; -PO<sub>3</sub>H<sub>2</sub>, or -SO<sub>2</sub>H.
- 35. A composite according to claim 26, wherein X is a functional group selected from the group consisting of the acid chloride group of -SH; -SiHCl<sub>2</sub>; 
  20 SiH<sub>2</sub>Cl; -Si(Cl)<sub>3</sub>; -SiHBr<sub>2</sub>; -SiH<sub>2</sub>Br; -SiBr<sub>3</sub>; -Si(R'(Cl)<sub>2</sub>); -Si(OR')<sub>3</sub>; -Si(R'(OR')<sub>2</sub>);

  -COOH; -COCl; -PO<sub>3</sub>H<sub>2</sub>, or -SO<sub>2</sub>H.
  - 36. A composite according to claim 26, wherein R' is an alkyl selected from the group consisting of methyl, ethyl or propyl.
  - 37. A composite according to claim 26, wherein said organometallic group is of the formula -M(Cl)<sub>n</sub>.
- 38. A cured rubber or rubber like composition obtained by vulcanization of a composite according to claim 1.



- 39. A composition according to claim 38, wherein said composition is a pneumatic tire.
- 40. A composition according to claim 38, wherein said composition is a hose.
  - 41. A composition according to claim 38, wherein said composition is a enveyor belt.
- 42. A composition according to claim 38, wherein said composition is a pulley belt.